## XP-002160007

AN - 1992-328273 [25]

- A -[001] 014 03& 074 077 081 082 13- 314 44& 456 461 476 516 523 55& 597 600 688
  - [002] 014 03& 034 074 076 077 081 082 13- 27& 314 44& 456 461 476 516 523 55& 59& 597 600
  - [003] 014 03& 034 055 074 077 081 082 13- 27& 314 44& 456 461 476 516 523 55& 597 600
  - [004] 014 03& 034 072 074 077 081 082 13- 27& 314 44& 456 461 476 516 523 55& 59& 597 600
  - [005] 014 03& 034 074 077 081 082 104 105 13- 155 157 27& 27- 314 44& 456 461 476 516 523 55& 597 600

AP - JP19910003935 19910117

**CPY - MITR** 

DC - A13 A14 E17

FS - CPI

IC - C08J5/00; C08K5/01; C08L33/12; C08L33/00

KS - 0031 0224 0228 0299 0369 0495 0500 0502 0535 0537 1417 2315 2465 2545 2595 3003 3011 3013 3152 3253

MC - A04-F06B A08-M03B A11-B12 E10-J02D3

M3 - [01] M226 M231 M320 M416 M610 M620 M782 M903 M904 Q130 Q140; 9240-D5301-M

PA - (MITR) MITŞUBISHI RAYON CO LTD

- PN - JP4236256/A 19920825 DW199240 C08L33/12 005pp

PR - JP19910003935 19910117

XA - C1992-146058

XIC - C08J-005/00; C08K-005/01; C08L-033/12; C08L-033/00

AB - J04236256 Compsn. comprises: (a) 100 pts. wt. of methacryl resin; and (b) 0.01-0.5 pts. wt. of a hydrocarbon mixt. contg. 70 wt.% or more of 20-26C linear satd. hydrocarbon. (a) is methylmethacrylate homopolymer or copolymer with alkyl acrylate, other alkylmethacrylate, vinyl aromatic cpd., cyano vinyl cpd. or maleimide cpd. (b) is a mixt. of 70 wt.% or higher of eicosane, heneicosane, docosane, tetracosane, pentaicosane or hexaicosane which may contain other hydrocarbon.

- USE/ADVANTAGE - Compsn. gives higher clear injection-moulded article having no stain and haze. It shows good releasability at the time of moulding precise and complicated articles.

CN - 9240-D5301-M

IW - METHACRYL RESIN COMPOSITION RELEASE CONTAIN LINEAR SATURATE HIGH HYDROCARBON MIXTURE EICOSANE

IKW - METHACRYL RESIN COMPOSITION RELEASE CONTAIN LINEAR SATURATE HIGH HYDROCARBON MIXTURE EICOSANE

NC - 001

OPD - 1991-01-17

ORD - 1992-08-25

PAW - (MITR) MITSUBISHI RAYON CO LTD

TI - Methacryl resin compsn. with good releasability - contg. linear satd. higher hydrocarbon e.g. a mixt. of eicosane, docosane, etc.